

| | Type | L # | Hits | Search Text | DBs |
|---|------|-----|--------|---------------------|--|
| 1 | BRS | L1 | 8719 | protocol adj1 stack | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 2 | BRS | L2 | 5078 | 1 and source | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 3 | BRS | L3 | 160139 | "3" and destination | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 4 | BRS | L4 | 3706 | 2 and destination | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 5 | BRS | L5 | 1407 | 4 and signaling | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|------|--------------------------------|--|
| 6 | BRS | L6 | 83 | 5 and (control adj1 layer) | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 7 | BRS | L7 | 20 | 6 and (adaptation adj1 layer) | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 8 | BRS | L10 | 0 | 9 and (transfort adj1 address) | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 9 | BRS | L11 | 0 | 9 and transfort | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 10 | BRS | L12 | 3 | 9 and (transport adj1 address) | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|------|---------------|--|
| 11 | BRS | L9 | 10 | 8 and peer | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 12 | BRS | L8 | 14 | 7 and mapping | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |